

CP PLUS

ezyKam+

4G Surveillance Camera



CP-V44G
4MP 4G Camera



4MP Camera

Designed to represent an enhanced picture quality in video so that every detail can be viewed with vivid clarity and a pixilated video feed can be avoided.

4G Support

This Camera by CP PLUS does not even require installation hassles and you can easily place it on a mount, plug it in, connect using 4G network and you are good to go.





Private Mode On




Private Mode

Using private mode, you can block the camera view & recording of a specific area of your choice to maintain privacy.

View & Talk

Enables you to stay in touch with your loved ones from anywhere, meaning you can also talk while viewing the live video feed on the phone.





PIR Sensor

Detecting every motion effectively, the PIR sensors in this camera detect movements in the video frame and send alerts in real-time to always keep you notified about what's happening at home.

Superior Night Vision

Provides full-color video even in low light. Using a bigger CMOS image sensor, this camera offers a wider contrast range allowing shadows and darker areas to be illuminated with perfect clarity as the sensor with bigger pixels collects more light, and more light improves the image quality even in the dark.



Specification - V44G

Feature	Description	Feature	Description
Image Sensor	1/2.8" CMOS Sensor	PIR Sensor	Support, 10meters (120°)
Resolution	4MP (2560x1440)	Audio Compression	AAC, G.711A
Video Compression	H.265	Audio Input	Built-in Mic
FPS	15fps	Audio Output	Built in speaker
Lens	4mm	Two-way talk	Support
Angle of View	Diagonal:95.45°, Horizontal:90°, Vertical:49.40°	Echo Cancellation	Support
Max. Aperture	F2.3	4G Standard	LTE-TDD / LTE FDD
Noise Reduction	3D DNR	4G Frequency Band	FDD:B1/B3/B5/B8, TDD:B34/B38/B39/B40/B41
WDR	DWDR	Micro SD	Micro SD Card, Max 256 GB
Minimum Illumination	Colour: 0.1Lux, black and white 0.01Lux	Smart Phone	Android, iOS
Electronic Shutter	1/15s	Alarm Notification Push	Support
Picture Adjustment	Auto-adjust Contrast, Brightness, Saturation	Application Environment	Outdoor
Exposure Condition	Auto-adjust AWB, AGC, BLC	Weatherproof Standard	IP66
IR Distance	IR Range of 20 Mtr.	Operating Temperature	20°C ≤50°C
IR Cut Filter	Auto	Operating Humidity	<85%(no condensation)
IR Number	2 pcs IR LEDs	Battery	10400mAh (4 x 2600mAh)
White LED Distance	Warm Light Range of 10 Mtr.	Power Source	Type-C, 5V/1A
White LED Number	2 pcs LEDs	Casing	ABS Plastic
Motion Detection	Support	Weight	430g
Human Body Detection	Support	Dimension	212mm x 70mm x 70 mm
Built-in Siren	Support		

Applications



Kids Safety



Office



Home



Retail Shops



Pet Safety